



# PRODUCT SPECIFICATION

---

RAS (REACTA-AIR SENSOR)

## FEATURES & BENEFITS

- **Mounting Type:** Integral
- **Wireless:** Yes
- **Maximum Mounting Height:** 3m
- **Occupancy Detection:** PIR
- **Daylight Control:** Daylight Regulation
- **Output:** DALI
- **Output:** Wireless
- **IP Rating:** IP20
- **Programmer:** MasterConnect app


## ADJUSTABLE PARAMETERS

- **Occupied mode:** Presence/Absence/Manual
- **Occupied Level:** 1-100%
- **Occupied Time:** up to 100 minutes
- **Transition Time:** up to 100 minutes or forever
- **Transition Level:** 1-100%
- **Daylight Regulation:** Enabled/Disabled
- **Grouping:** Enabled/Disabled
- More parameters available on programmer

## IMAGES



SENSOR DETECTION





# Indoor Accessories

## UID8470/10 ZGP Switch Dim 2B

Indoor lighting control accessories cover all the user interfaces, sensors, cables, dimmers and other accessories that can be used with our control systems or stand-alone with our lighting systems.

Indoor lighting control accessories cover all the user interfaces, sensors, cables, dimmers and other accessories that can be used with our control systems or standalone with our lighting systems.

### Product data

<b>General Information</b>		<b>Order product name</b>	UID8470/10 ZGP Switch Dim 2B
CE mark	CE mark	<b>EAN/UPC - Product</b>	8719514273771
EU RoHS compliant	Yes	<b>Order code</b>	913701055703
<b>Application Conditions</b>		<b>Numerator - Quantity Per Pack</b>	1
Ambient temperature range	-20 to +55 °C	<b>Numerator - Packs per outer box</b>	50
<b>Product Data</b>		<b>Material Nr. (12NC)</b>	913701055703
<b>Full product code</b>		<b>Net Weight (Piece)</b>	0.065 kg